Article Print c Versic	date: on:	0019095-2 30.01.2023 10.0	Kulba Frostweiß Revision date: 20 Issue date: 26.07	1.2023	651901 EN Page 1 / 7	
SEC	TION 1: Ide	ntification of th	ne substance/mix	ture and of the co	ompany/undertaking	
1.1.	Product ide	ntifier				
	Article No. (I Trade name	manufacturer/sup /designation	plier)	0019095-2 Kulba Frostweiß		
1.2.	Relevant id	entified uses of	the substance or m	nixture and uses ad	vised against	
	Use of the substance/mixture: Coatings and paints, thinners, paint removers. when properly used - no					
1.3.	Details of th	ne supplier of the	e safety data sheet			
	supplier (manufacturer/importer/downstream user/distributor)SÜDWEST Lacke + Farben GmbH & Co. KGIggelheimer Str. 13Telephone: +49 6324 709 0D-67459 Böhl-IggelheimTelefax: +49 6324 709 175					
	Germany					
	Department	responsible for	information:			
	E-mail (com	petent person)		sdb@suedwest.o	de	
1.4.						
SEC	TION 2: Haz	ards identifica	tion			
2.2.	Label eleme Labelling ac Hazard pict	ccording to Regi	ulation (EC) No. 12	72/2008 [CLP]		
	Hazard stat	ements not app	blicable			
	Precautiona	ary statements				
		not app				
Hazard components for labelling not applicable						
	Supplemen	tal hazard inforn				
	EUH211 EUH210		g! Hazardous respir data sheet available		e formed when sprayed. Do r	not breathe spray or mist.
2.3.	Other hazar	•		e on request.		
2.0.	No informati					
SEC			mation on ingree	diante		
		nposition/intoi	mation on ingred			
3.2.	Mixtures	Dianar	aion naint amianian	and achieve free		
	Description Hazardous	-	sion paint emission-	and solvent-free		
		-	Regulation (EC) No	1272/2008 [CL P]		
	EC No.	REAC		, 1212/2000 [021]		
	CAS No.	Design				weight-%
	Index No. 236-675-5	CIASSI	ication: // Remark			

	Kulba
0019095-2	Frostweiß
30.01.2023	Revision date: 26.01.2023
10.0	Issue date: 26.01.2023
	30.01.2023

651901 EN Page 2 / 7

Additional information

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

Additional information

The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Article No.	0010005 0	Kulba	
Article No.:	0019095-2	Frostweiß	
Print date:	30.01.2023	Revision date: 26.01.2023	651901 EN
Version:	10.0	Issue date: 26.01.2023	Page 3 / 7

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

titanium dioxide

Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 4 mg/m3 Remark: (respirable fraction)

WEL, TWA: 10 mg/m3 Remark: (inhalable fraction)

Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

Do not breathe spray mist or vapor / aerosol. Do not wear respiratory protection. Full and half mask with matching filter (combination filter type A2 / P2).

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibres (cotton) or heat resistant synthetic fibres.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

Article No.: Print date: Version:	0019095-2 30.01.2023 10.0	Kulba Frostweiß Revision date Issue date: 2		651901 EN Page 4 / 7		
SECTION 9:	Physical and che	mical propertie	25			
9.1. Informa	tion on basic physi	ical and chemica	l properties			
-	cal state: arance:		Liquid Liquid white			
Odour:			low odor			
Odour t	hreshold:		not determined			
pH at 20	0 °C:		9,5 - 10,5			
Melting	point/freezing poin	it:	not determined			
Initial b	oiling point and boi	iling range:	100 °C Source: water			
Flash p	oint:		not applicable			
Evapora	ation rate:		not applicable			
flamma Burnir	bility ng time:		not applicable			
Lower	ower flammability o explosion limit: explosion limit:	or explosive limit	s: not applicable not applicable			
Vapour	Vapour pressure at 20 °C:		not determined			
Vapour	Vapour density:		not determined			
	e density: y at 20 °C:		1,61 +/- 0,05 g/cm³			
Solubili Water s	ity(ies): solubility at 20 °C:		completely miscible			
Partitio	n coefficient: n-octa	anol/water:	see section 12			
Auto-ig	nition temperature:		not applicable			
Decom	position temperatur	e:	not applicable			

Oxidising properties: 9.2. Other information

Viscosity at 20 °C:

Explosive properties:

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

14500 mPa* s

not determined not determined

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

		Kulba	
Article No.:	0019095-2	Frostweiß	
Print date:	30.01.2023	Revision date: 26.01.2023	
Version:	10.0	Issue date: 26.01.2023	
Print date:	30.01.2023	Revision date: 26.01.2023	

No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

titanium dioxide

Carcinogenicity

Contains less than 1 % titanium dioxide particles with an aerodynamic diameter = 10 µm.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. **Mobility in soil** Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way.Waste

651901 EN Page 5 / 7

Article No.: Print date: Version:	0019095-2 30.01.2023 10.0	Kulba Frostweiß Revision date: 26.01.2023 Issue date: 26.01.2023	651901 EN Page 6 / 7				
dispos	al according to directiv	e 2008/98/EC, covering waste and dar	ngerous waste.				
List of 080112		es/waste designations in accordanc paint and varnish other than those me					
Recon Non-co	Appropriate disposal / Package Recommendation Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.A 150110 packagin containing residues of or contaminated by dangerous substances						
SECTION 1	4: Transport inform	ation					
		d as dangerous according to intern	ational transport regulations (ADR/RID, IMDG,				
ICAO/I No dar		e of this transport regulation.					
14.1. UN nu	• •						
		not applicable					
14.2. UN pro	oper shipping name						
14.3. Transı	oort hazard class(es)						
· · · · · · · · · · · · · · · ·		not applicable					
14.4. Packin	ng group						
		not applicable					
	nmental hazards						
	ansport (ADR/RID)	not applicable					
	pollutant	not applicable					
-	Special precautions for user Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in						
case of	f an accident or leakag s on safe handling: see	e.	that persons transporting the product know what to do in				
Furthe	r information						
l and t	ransport (ADR/RID)						
	restriction code	<u>-</u>					
Sea tra	ansport (IMDG)						
EmS-N		not applicable					
14.7. Transp	oort in bulk according	to Annex II of Marpol and the IBC C	ode				
not app	olicable	-					
SECTION 1	5: Regulatory infor	mation					
15.1. Safety	, health and environn	nental regulations/legislation specifi	c for the substance or mixture				
-	islation						
Directi	Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 1						
	Directive 2004/42/EC on the limitation of emissions of volatile organic compounds						

VOC product category: (Cat. A/a) ; VOC limit value: 30 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 1

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

ticle No.: nt date: rsion:	0019095-2 30.01.2023 10.0	Kulba Frostweiß Revision date: 26.01.2023 Issue date: 26.01.2023	651901 EN Page 7 / 7			
Full text	of classification ir	n section 3:				
Carc. 2 /	H351	Carcinogenicity	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).			
Abbrevi	ations and acrony	ns				
ADR			tional Carriage of Dangerous Goods by Road			
OEL		pational Exposure Limit Value				
BLV	Biolog	gical Limit Value				
CAS	Chem	nical Abstracts Service				
CLP	Class	ification, Labelling and Packaging				
CMR		Carcinogenic, Mutagenic and Reprotoxic				
DIN	Germ	German Institute for Standardization / German industrial standard Derived No-Effect Level				
DNEL	Derive					
EAKV		ean Waste Catalogue Directive				
EC		ive Concentration				
EC		bean Community				
EN		bean Standard				
IATA-DO		ational Air Transport Association – Dar				
IBC Cod		International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bu				
ICAO-TI			chnical Instructions for the Safe Transport of Danger			
		s by Air				
IMDG Co		ational Maritime Code for Dangerous G				
ISO		ational Organization for Standardization	1			
LC		I Concentration				
LD MARPOI		l Dose	tion for the Dravention of Dallution from China			
			tion for the Prevention of Pollution from Ships			
OECD PBT		nisation for Economic Cooperation and stent, bioaccumulative, toxic	Development			
PNEC		cted No Effect Concentration				
REACH		tration, Evaluation, Authorisation and R	Pestriction of Chemicals			
IMDG Co		ational Maritime Code for Dangerous G				
ISO		ational Organization for Standardization				
VOC		le Organic Compounds				
vPvB		persistent and very bioaccumulative				

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.